


Drill Collar Plan And Cross Sections To Accompany
Aftermath Silver Berenguela Drill Results News Release
May 19, 2022


Refer to QP & QA/QC Statement in the NR

Berenguela Project Location



DRILL PLAN WITH SECTIONS

May 19, 2002 Drill Results on Next Page



MAY 19,2022 DRILL RESULTS

Historical Results

Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.

The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.

Hole	From (m)	To (m)	Width ^{1 2} (m)	Ag ppm	Cu %	Mn %	Zn %
AFD-006	8.50	31.2	21.10*	164	1.59	14.2	0.44
and	59.80	78.40	18.60	77	0.46	4.2	0.24
AFD-007	0.00	12.40	9.40*	424	1.83	12.1	0.52
and	17.00	30.85	13.85	79	0.73	13.4	0.92
and	38.75	76.50	33.25*	266	1.01	10.2	0.52
inc	52.95	64.65	7.20*	580	2.01	8.4	0.35
AFD-008	2.30	10.00	7.70	202	0.86	15.1	0.71
and	50.80	65.75	13.15*	137	1.03	13.3	0.45
and	82.90	98.55	15.65	41	0.78	14.6	0.38
AFD-010	0.00	28.85	27.80*	57	1.10	5.7	0.24
	55.90	66.05	10.15	65	2.97	15.9	0.32
inc	58.90	64.05	5.15	70	5.03	13.9	0.19
AFD-011	0.00	33.60	31.90*	65	0.64	13.7	0.45
and	68.25	81.55	13.30	66	0.72	6.8	0.31
AFD-012	0.00	13.80	13.80	113	0.21	2.3	0.13
and	22.80	31.45	7.80*	91	0.59	5.7	0.18
AFD-013	0.00	8.55	8.55	96	0.16	2.3	0.15
and	13.05	34.25	20.10*	81	0.22	3.0	0.12
AFD-014	9.40	46.35	31.00*	177	1.22	9.1	0.46
AFD-015	11.15	56.40	40.85*	269	1.08	13.6	0.51
inc	11.15	23.50	11.55*	462	1.00	17.9	0.77
inc	37.50	41.40	3.90	613	2.24	18.3	0.35
AFD-016	0.00	55.50	51.80*	235	1.89	14.2	0.40
inc	30.10	40.30	9.20*	508	2.63	20.8	0.37
AFD-017	0.00	51.50	47.00*	166	1.75	16.2	0.48
AFD-018	11.20	31.40	19.30*	225	1.08	11.7	1.18
and	34.40	42.25	6.45*	73	0.87	10.5	0.98
AFD-019	16.40	38.75	22.35	138	0.90	8.1	0.82
and	70.50	79.80	5.20*	260	1.23	6.4	0.30
AFD-020	15.70	35.90	19.60*	78	0.62	6.3	0.55
and	56.50	116.00	56.70*	253	1.19	14.3	0.54
inc	56.50	64.50	8.00	804	0.45	22.1	1.25
and	123.15	132.15	9.00	55	1.68	16.0	0.20

Section 1200E (S)


SOUTH

NORTH

2021/2
INTERCEPTS

2004/5
INTERCEPTS

	Section				g/t	%	%	%
Campaign	1200E (S)	FROM	TO	INT	AG	CU	MN	ZN
2004	BER-052	0.00	13.00	13.00	154.0	1.04	26.5	0.80
	and	15.00	26.00	11.00	159.0	0.60	4.7	0.14
	BER-053	0.00	15.00	15.00	116.0	1.01	29.5	0.79
	and	19.00	40.00	21.00	71.0	0.89	13.2	0.37
	and	49.00	54.00	5.00	83.0	0.20	1.0	0.10
2021/22	AFD012	0.00	13.80	13.80	112.5	0.21	2.3	0.13
	AFD012	22.80	31.45	7.80	91.3	0.59	5.7	0.18
	AFD013	0.00	8.55	8.55	95.9	0.16	2.3	0.15
	AFD013	13.05	34.25	20.10	81.1	0.22	3.0	0.12



AFD holes are 2021/2 diamond drilling – voids not shown.
BER holes are 2004/5 RC drilling.

Section 1200E (N)


SOUTH

NORTH

2021/2
INTERCEPTS


2004/5
INTERCEPTS

Campaign	Section 1200E (N)	FROM	TO	INT	g/t AG	% CU	% MN	% ZN
2004	BER-045	0.00	49.00	49.00	131.0	1.85	17.1	0.43
	BER-046	0.00	47.00	47.00	235.0	1.28	17.0	0.54
	BER-047	7.00	45.00	38.00	477.0	1.04	16.2	0.88
	BER-048	6.00	62.00	56.00	403.0	2.27	18.3	0.55
	and	69.00	84.00	15.00	87.0	0.74	5.3	0.18
	BER-049				NSV			
	BER-097	17.00	28.00	11.00	120.0	0.93	13.9	0.78
	and	40.00	54.00	14.00	71.0	0.69	13.4	0.40
2021/22	and	67.00	73.00	6.00	75.0	0.92	3.0	0.17
	BER-098				NSV			
	AFD014	9.40	46.35	31.00	177.2	1.22	9.1	0.46
	AFD015	11.50	56.40	40.85	268.9	1.08	13.6	0.51
	AFD016	0.00	55.50	51.80	235.1	1.89	14.2	0.40
	AFD017	0.00	51.50	47.00	165.7	1.75	16.2	0.48



AFD holes are 2021/2 diamond drilling – voids not shown.
BER holes are 2004/5 RC drilling.

Section 1500E




AFD holes are 2021/2 diamond drilling – voids not shown.
BER holes are 2004/5/17 RC drilling.

Campaign	Section 1500E	FROM	TO	INT	g/t AG	% CU	% MN	% ZN
2005	BER-117	13.00	22.00	9.00	40.0	0.69	7.4	0.54
	and	31.00	37.00	6.00	38.0	0.64	1.9	0.14
	BER-118	12.00	19.00	7.00	79.0	1.20	5.8	0.33
	and	53.00	67.00	14.00	84.0	0.69	11.1	0.32
	and	92.00	117.00	25.00	128.0	0.88	9.7	0.48
2017	BER235-17	0.00	7.00	7.00	39.0	0.94	14.9	0.93
	and	19.00	28.00	9.00	22.0	0.53	12.6	1.30
	and	40.00	66.00	26.00	522.0	1.02	9.7	0.45
	BER236-17	0.00	6.00	6.00	125.0	0.51	8.8	0.55
	and	10.00	15.00	5.00	67.0	0.36	12.9	0.63
	and	20.00	44.00	24.00	94.0	1.26	8.8	0.34
	BER265-17	3.00	9.00	6.00	637.0	1.21	17.0	0.89
	and	16.00	32.00	16.00	45.0	0.56	9.9	0.59
	and	36.00	46.00	10.00	62.0	0.83	3.9	0.23
	and	48.00	58.00	10.00	232.0	0.67	18.4	0.59
	and	61.00	74.00	13.00	165.0	1.85	17.2	0.60
	BER266-17	0.00	11.00	11.00	212.0	0.95	10.6	0.43
	and	49.00	66.00	17.00	124.0	0.79	14.8	0.43
	and	68.00	76.00	8.00	36.0	1.67	13.4	0.23
2021/22	AFD007	0.00	12.40	9.40	423.5	1.83	12.1	0.52
	AFD007	17.00	30.85	13.85	79.0	0.73	13.3	0.92
	AFD007	38.75	76.50	33.25	266.1	1.01	10.2	0.52
	AFD008	2.30	10.00	7.70	202.3	0.86	15.1	0.71
	AFD008	50.80	65.75	13.15	136.8	1.03	13.3	0.45
	AFD008	82.90	98.55	15.65	41.4	0.78	14.6	0.38

Section 1550E


SOUTH

NORTH



Campaign	Section 1550E	FROM	TO	INT	g/t AG	% CU	% MN	% ZN
2005	BER-106	0.00	6.00	6.00	89.0	0.97	11.1	0.34
	and	8.00	16.00	8.00	148.0	1.03	13.6	0.41
	and	24.00	60.00	36.00	58.0	1.85	17.8	0.32
	and	68.00	75.00	7.00	45.0	0.68	13.4	0.34
	and	81.00	103.00	22.00	109.0	1.11	17.1	0.32
	BER-107					NSV		
	BER-119	23.00	31.00	8.00	53.0	0.77	9.7	0.65
	and	33.00	38.00	5.00	31.0	0.47	5.1	0.50
	BER-120	11.00	37.00	26.00	192.0	0.76	21.7	0.76
	and	45.00	52.00	7.00	119.0	0.90	27.8	0.62
	and	54.00	109.00	55.00	109.0	1.89	23.3	0.36
	BER-121	7.00	21.00	14.00	116.0	0.76	14.7	0.58
	and	24.00	76.00	52.00	243.0	1.74	18.2	0.34
	BER-122	18.00	38.00	20.00	240.0	0.83	12.5	1.13
	and	40.00	47.00	7.00	45.0	0.77	6.1	0.54
	and	66.00	76.00	10.00	225.0	0.76	12.3	0.69
	and	85.00	122.00	37.00	117.0	1.09	16.8	0.35
	BER-123	3.00	11.00	8.00	178.0	0.75	18.8	1.75
	and	13.00	35.00	22.00	56.0	1.16	8.9	0.88
	BER-132	0.00	17.00	17.00	93.0	0.89	6.7	0.70
	BER-133	0.00	18.00	18.00	83.0	0.71	10.1	0.99
2021/22	AFD018	11.20	31.40	19.30	225.2	1.08	11.7	1.18
	AFD018	34.40	42.25	6.45	73.4	0.87	10.5	0.98
	AFD019	16.40	38.75	22.35	137.7	0.90	8.1	0.82
	AFD020	15.70	35.90	19.60	78.2	0.62	6.3	0.55
	AFD020	56.50	116.00	56.70	253.2	1.19	14.3	0.54
	Inc	56.50	64.50	8.00	804.2	0.45	22.1	1.25
	AFD020	123.15	132.15	9.00	55.1	1.68	16.0	0.20

Section 1700E



AFD holes are 2021/2 diamond drilling – voids not shown.
AFD-026 results not available.
BER holes are 2004/5 RC drilling.

Section					g/t	%	%	%
Campaign	1700E	FROM	TO	INT	AG	CU	MN	ZN
2004	BER-003	0.00	24.00	24.00	177.0	1.12	13.7	0.40
	and	30.00	39.00	9.00	75.0	0.37	4.6	0.17
	BER-014	0.00	16.00	16.00	41.0	0.94	10.6	0.39
	and	26.00	61.00	35.00	100.0	1.43	10.9	0.86
	BER-015	0.00	53.00	53.00	92.0	1.21	11.5	0.48
	and	58.00	67.00	9.00	52.0	1.50	17.2	0.43
	BER-016	0.00	29.00	29.00	57.0	0.84	9.8	0.40
	and	32.00	39.00	7.00	94.0	1.07	13.9	0.34
2021/22	AFD-005	3.00	11.80	5.90	142.8	1.27	12.3	0.30
	AFD-005	24.50	77.75	53.25	256.0	1.29	12.4	0.26
	Inc	30.90	39.90	9.00	780.6	1.26	21.1	0.33
	AFD-009	2.00	20.60	18.60	83.1	1.76	7.9	0.29
	AFD-009	29.60	65.20	29.40	203.2	1.65	13.8	0.62
	Inc	50.50	58.10	5.40	448.5	1.62	19.6	0.57
	AFD006	8.50	31.20	21.10	164.1	1.59	14.2	0.44
	AFD006	59.80	78.40	18.60	76.7	0.46	4.2	0.24
	AFD010	0.00	28.85	27.80	56.6	1.10	5.7	0.24
	AFD010	55.90	66.05	10.15	64.5	2.97	15.9	0.32
	AFD011	0.00	33.60	31.90	64.5	0.64	13.8	0.45
	AFD011	68.25	81.55	13.30	65.7	0.72	6.8	0.31