



Drill Collar Plan And Cross Sections To Accompany
Aftermath Silver Berenguela Drill Results News Release
June 06, 2022

Refer to QP & QA/QC Statement in the NR

Berenguela Project Location





DRILL PLAN WITH SECTIONS

**COORDINATE SYSTEM
WGS 84/19S**

0 50 m



1750E



1900E



1950E



2000E

June 06,2022 DRILL RESULTS

Historical Results

Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101

Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.

The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.

Hole	From (m)	To (m)	Width ^{1 2} (m)	Ag g/t	Cu %	Mn %	Zn %	Voids (m)
AFD-021	11.00	19.40	8.40	46	0.57	6.0	0.37	0
and	22.40	74.20	48.00*	69	0.77	5.6	0.54	3.80
and	77.20	89.95	12.75	84	1.68	8.2	0.71	0
and	92.50	109.50	17.00	97	1.15	6.8	0.48	0
AFD-022	10.25	16.25	6.00	61	0.60	6.4	0.40	0
and	19.25	35.40	14.65*	105	0.56	2.7	0.32	1.50
and	56.40	101.65	36.45*	168	0.98	5.4	0.44	8.80
and	108.40	116.25	7.85	24	0.74	4.2	0.33	0
AFD-029	0.00	99.20	97.60*	188	1.70	15.2	0.43	1.60
inc	31.20	35.20	4.00	821	1.42	19.0	0.54	0
inc	73.10	93.10	20.00	268	2.95	21.7	0.47	0
AFD-030	1.30	38.20	35.60*	63	1.19	5.5	0.23	1.30
AFD-031	8.20	21.10	11.80*	30	0.77	3.5	0.15	1.10
and	23.10	29.45	6.35	46	0.57	2.4	0.14	0
and	51.15	70.20	17.95*	67	1.11	5.3	0.26	1.10
and	82.20	99.85	17.65	36	1.81	6.5	0.25	0
AFD-032	0.00	8.20	8.20	110	1.46	27.8	0.73	0
and	37.35	92.05	51.70*	48	1.02	9.8	0.30	3.00
AFD-033	0.00	3.40	3.40	77	1.29	4.0	0.20	0
and	6.40	9.40	3.00	97	0.33	1.9	0.14	0
and	14.00	56.10	39.50*	104	1.38	11.4	0.24	2.60
and	66.10	76.60	9.30*	91	1.06	14.2	0.33	1.20
AFD-034	0.00	69.55	65.25*	408	0.91	5.9	0.54	4.30
inc	39.70	59.65	18.95*	1,162	1.12	10.6	0.86	1.0
AFD-027	5.50	19.30	13.80	62	1.09	11.4	0.25	0
and	27.75	30.75	3.00	49	2.31	3.6	0.26	0
and	35.75	42.75	7.00	40	0.81	2.1	0.20	0
and	53.95	84.00	24.75*	228	1.29	13.3	0.61	5.30
AFD-028	8.60	31.60	21.70*	151	1.37	16.1	0.35	1.30
and	37.20	74.80	36.15*	168	1.82	15.5	0.49	1.45



**Reported intersection widths are shorter than total widths drilled where voids due to historic underground mining activity were encountered during drilling. Voids were measured and discounted from the intersection width with no dilution of the reported grades. Berenguela mining: from 1913 until 1965 approximately 500,000 tons was mined from 17,700m of underground workings and open pit operations – this equates to roughly 1.1% of the historic Berenguela resources (see p.12 of AAG's corporate presentation for details: <https://aftermathsilver.com/site/assets/files/5753/2022-04-19-cp-aag.pdf>). Aftermath recently obtained complete plans of underground workings which will be incorporated into resource modelling where practical and appropriate. All open pits have been surveyed in detail.*

² The drilling was carried out at a high angle to the stratigraphically controlled mineralisation and intersections can be assumed to equate approximately to true thickness apart from where local folding is encountered in the upper part of AFD-029.

Section 1750E

SOUTH

NORTH



AFD holes are 2021/2 diamond drilling – voids not shown.
BER holes are 2004/5 RC drilling.



Section 1750 E Historic Drill Results

Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2004	BER-005	7	12	5	44	6.04	1.45	0.24
2004	and	13	19	6	79	13.68	0.96	0.46
2004	and	21	31	10	40	6.41	0.65	0.23
2004	and	33	38	5	331	15.76	1.01	0.42
2004	and	40	63	23	330	14.64	1.65	0.55
2004	and	79	98	19	66	17.36	2.01	0.40
2004	BER-006	1	6	5	25	5.56	0.51	0.16
2004	and	8	38	30	70	8.62	1.07	0.29
2004	BER-008	16	23	7	165	15.91	1.13	0.42
2004	and	37	53	16	94	12.17	1.78	0.40
2004	and	75	80	5	67	17.42	1.49	0.43
2004	BER-010	0	15	15	55	21.67	1.71	0.29
2004	and	25	63	38	125	16.83	1.10	0.46
2004	BER-011	0	10	10	49	7.37	0.88	0.23
2004	and	12	56	44	106	14.52	1.54	0.39
2004	and	58	76	18	89	14.70	2.55	0.31
2004	BER-012	6	20	14	55	13.79	0.85	0.36
2004	and	23	66	43	191	12.59	1.98	0.35
2004	and	71	77	6	327	15.64	2.91	0.48
2004	BER-013	8	20	12	48	4.60	0.91	0.20
2004	and	49	67	18	45	8.23	1.00	0.22
2004	BER-026	42	61	19	56	9.01	1.28	0.54
2004	BER-027	44	66	22	78	10.61	1.40	0.65
2004	and	69	79	10	107	12.17	1.55	0.51
2004	and	84	97	13	73	7.73	1.99	0.32
2004	and	102	112	10	44	12.03	2.11	0.34


Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.

The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.


Section 1900E

SOUTH

NORTH



AFD-60 and AFD-061
results not received.



AFD holes are 2021/2
diamond drilling – voids not
shown.
BER holes are 2004/5 RC
drilling.


Section 1900 E Historic Drill Results

Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2005	BER-164	12	52	40	68	9.25	1.06	0.22
2005	and	66	75	9	102	11.94	0.74	0.34
2005	BER-165	0	9	9	138	16.62	2.63	0.53
2005	and	41	64	23	49	13.59	1.21	0.40
2005	and	67	93	26	79	11.82	0.87	0.42
2005	BER-168	0	20	20	55	4.07	0.61	0.16
2005	and	32	52	20	103	11.85	1.05	0.29
2005	and	54	62	8	74	10.98	1.81	0.22
2005	BER-169	6	25	19	73	12.31	1.43	0.26
2005	and	29	34	5	47	7.70	0.61	0.30
2005	and	37	47	10	64	11.23	0.77	0.28

Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.

The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.

Section 1950E



AFD holes are 2021/2 diamond drilling – voids not shown.
BER holes are 2004/5 RC drilling.

AFD-039 results not received.



Section 1950 E Historic Drill Results

Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2005	BER-187	37	46	9	37	8.45	0.89	0.61
2005	and	64	74	10	165	0.79	1.50	0.07
2005	BER-188	12	19	7	26	4.02	0.61	0.35
2005	and	30	83	53	90	6.26	1.10	0.59
2005	and	91	130	39	113	4.80	0.92	0.52
2005	BER-190	0	9	9	150	18.62	1.01	1.17
2005	and	12	21	9	69	15.57	0.69	1.04
2005	and	27	39	12	69	14.53	1.32	1.27
2005	and	43	69	26	84	7.29	0.99	0.62
2005	BER-191	1	16	15	58	4.10	0.81	0.29
2005	and	20	26	6	52	4.46	0.53	0.47
2005	and	28	33	5	66	3.77	0.39	0.43
2005	and	38	113	75	86	6.46	0.97	0.57
2005	BER-192	2	90	88	49	3.27	0.83	0.29
2005	and	109	117	8	45	3.91	1.10	0.38


Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.

The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.


Section 2000E

SOUTH

NORTH



AFD-035 results
not received.



AFD holes are 2021/2
diamond drilling – voids not
shown.
BER holes are 2004/5/17 RC
drilling.



Section 2000 E Historic Drill Results

Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2005	BER-185	11	17	6	164	3.31	1.08	0.43
2005	and	24	58	34	176	6.90	0.89	0.59
2005	and	61	70	9	54	2.99	0.82	0.30
2005	BER-186	3	23	20	151	4.62	1.23	0.55
2005	BER-193	1	41	40	170	6.03	1.01	0.60
2005	BER-194	0	30	30	74	4.99	1.18	0.51
2017	BER253-17	0	7	7	92	15.92	1.38	1.17
2017	and	9	21	12	85	6.58	1.22	0.49
2017	and	24	30	6	84	6.34	0.70	0.61
2017	and	35	40	5	69	3.69	1.11	0.34
2017	and	83	88	5	54	4.11	0.48	0.30
2017	BER254-17	0	34	34	93	9.12	1.08	0.68
2017	and	62	89	27	145	4.72	0.64	0.33
2017	and	91	103	12	47	2.23	0.49	0.18

Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.

The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.