


Drill Collar Plan And Cross Sections To Accompany  
Aftermath Silver Berenguela Drill Results News Release  
July 5, 2022

Refer to QP & QA/QC Statement in the NR


# Berenguela Project Location





# DRILL PLAN WITH SECTIONS

June 30, 2022: Drill Results on Next Page



# June 30,2022 DRILL RESULTS

## Historical Results

*Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.*


*The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.*

Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %	Voids (m)
AFD035	2.00	17.10	14.10	91	0.96	3.63	0.38	1.00
AFD035	26.90	37.95	11.05	143	0.49	4.92	0.50	0.00
AFD035	40.95	57.75	10.80	162	0.97	5.31	0.48	6.00
AFD035	60.10	63.90	3.80	40	0.67	2.86	0.25	0.00
AFD039	2.00	23.85	21.25	59	0.93	2.36	0.21	0.60
AFD039	34.80	38.45	3.65	715	0.98	8.55	0.69	0.00
AFD040	3.30	7.80	4.50	62	0.62	7.02	0.61	0.00
AFD040	42.90	61.65	18.75	23	0.64	2.23	0.23	0.00
AFD041	10.70	40.00	29.30	50	0.68	4.30	0.38	0.00
AFD042	25.00	42.80	17.60	34	0.60	3.60	0.28	0.20
AFD042	50.50	57.40	6.90	20	0.68	2.28	0.18	0.00
AFD042	74.85	83.85	9.00	29	0.68	3.22	0.41	0.00
AFD042	91.30	99.00	7.70	42	0.54	0.76	0.05	0.00
AFD043	0.00	16.15	15.25	285	1.41	23.23	0.97	0.90
AFD043	24.60	53.35	27.75	89	1.02	4.24	0.25	1.00
AFD043	57.15	66.20	9.05	338	1.35	20.31	0.71	0.00
<b>AFD043</b>	<b>74.80</b>	<b>100.10</b>	<b>25.30</b>	<b>452</b>	<b>1.63</b>	<b>23.07</b>	0.66	0.00
<b>inc</b>	<b>77.80</b>	<b>82.80</b>	<b>5.00</b>	<b>704</b>	<b>2.67</b>	<b>21.11</b>	0.78	0.00
<b>inc</b>	<b>86.80</b>	<b>96.05</b>	<b>9.25</b>	<b>655</b>	<b>1.59</b>	<b>29.32</b>	0.69	0.00
AFD044	0.00	19.05	15.65	179	1.00	11.05	0.42	3.40
AFD045	0.00	10.25	10.25	155	1.57	13.09	0.54	0.00
AFD045	20.85	24.60	2.95	187	0.30	10.18	0.48	0.80
<b>AFD047</b>	<b>0.00</b>	<b>51.95</b>	<b>51.15</b>	<b>116</b>	<b>1.54</b>	7.41	0.27	0.80
AFD047	88.00	96.50	8.50	210	1.05	1.26	0.10	0.00
<b>AFD056</b>	<b>0.00</b>	<b>93.20</b>	<b>86.80</b>	82	<b>1.57</b>	8.19	0.30	6.40
AFD057	32.80	88.45	54.25	66	0.86	5.90	0.30	1.40
<b>AFD058</b>	<b>0.00</b>	<b>24.20</b>	<b>24.20</b>	23	<b>1.10</b>	8.13	0.37	0.00
<b>AFD058</b>	<b>29.45</b>	<b>59.45</b>	<b>30.00</b>	<b>141</b>	<b>1.26</b>	17.13	0.56	0.00
AFD058	64.80	68.50	3.70	60	0.79	6.26	0.34	0.00
AFD059	40.30	49.70	9.40	141	0.92	10.53	0.35	0.00

*Reported intersection widths are shorter than total widths drilled where voids due to historic underground mining activity were encountered during drilling. Voids were measured and discounted from the intersection width with no dilution of the reported grades. Berenguela mining: from 1913 until 1965 approximately 500,000 tons was mined from 17,700m of underground workings and open pit operations – this equates to roughly 1.1% of the historic Berenguela resources (see p.12 of AAG's corporate presentation for details: <https://aftermathsilver.com/site/assets/files/5753/2022-04-19-cp-aag.pdf>). Aftermath recently obtained complete plans of underground workings which will be incorporated into resource modelling where practical and appropriate. All open pits have been surveyed in detail. The drilling was carried out at a high angle to the stratigraphically controlled mineralisation and intersections can be assumed to equate approximately to true thickness.*



Section 1100E



AFD holes are 2021/2 diamond drilling – voids not shown.  
Results awaited AFD-024  
BER holes are 2004/5 RC drilling.


# Section 1100 E Historic Drill Results

Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2004	BER-033	0	29	29	166	20.5	1.57	0.39
2004	BER-033	35	46	11	62	2.8	1.29	0.14
2004	BER-034	0	21	21	185	23.36	1.11	0.38
2004	BER-034	26	76	50	74	12.02	0.59	0.32
2004	BER-035	7	19	12	44	9.94	0.98	0.24
2004	BER-035	35	63	28	88	19.1	1.23	0.33
2004	BER-035	67	79	12	131	1.66	0.74	0.1
2004	BER-056	2	36	34	67	15.89	1.22	0.53
2004	BER-056	39	54	15	471	11.09	1.06	0.33
2004	BER-056	59	77	18	128	17.87	1.40	0.35
2004	BER-056	86	91	5	78	7.46	0.55	0.28
2004	BER-057	0	24	24	55	8.54	1.26	0.52
2004	BER-057	26	33	7	215	4.69	0.62	0.36
2005	BER-071	25	61	36	89	11.62	0.87	0.27
2005	BER-071	63	80	17	98	8.71	0.61	0.36
2005	BER-072	14	33	19	90	15.43	1.06	0.32
2005	BER-072	40	47	7	72	1.10	0.53	0.09
2005	BER-077	0	19	19	178	6.60	0.73	0.37
2005	BER-077	21	38	17	64	6.49	1.68	0.20
2005	BER-077	41	51	10	61	2.26	0.66	0.14
2005	BER-078	0	16	16	412	18.00	1.19	0.86
2005	BER-083	0	19	19	132	8.38	1.66	0.39
2005	BER-095	0	39	39	495	13.25	1.06	0.63
2005	BER-095	41	50	9	1849	25.04	0.94	0.61
2005	BER-095	55	62	7	255	1.87	0.11	0.09
2005	BER-096	2	19	17	59	4.86	0.75	0.33

*Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.*

*The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.*

Section 1450E



AFD holes are 2021/2  
diamond drilling – voids not  
shown.  
BER holes are 2004/5 RC  
drilling.

# Section 1450 E Historic Drill Results


Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2005	BER-101	0	9	9	78	5.90	1.13	0.31
2005	and	15	26	11	131	5.04	0.48	0.27
2005	BER-102	0	21	21	162	16.89	1.83	0.64
2005	and	24	42	18	66	3.35	0.97	0.22
2005	and	56	64	8	236	18.61	0.95	0.54
2005	and	74	99	25	305	24.10	1.34	0.70
2005	BER-103	0	21	21	137	10.71	0.78	0.50
2005	BER-113	4	42	38	59	3.51	0.96	0.21
2005	BER-114	14	19	5	143	5.66	1.39	0.38
2005	and	45	58	13	210	14.07	0.88	0.42
2005	and	60	67	7	221	10.71	0.75	0.54

*Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.*

*The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.*



Section 1650E



# Section 1650 E Historic Drill Results


Hole	From (m)	To (m)	Width (m)	Ag ppm	Mn %	Cu %	Zn %
BER-001	0.00	54.00	54.00	314	16.17	1.60	0.31
BER-002	0.00	19.00	19.00	191	19.11	1.38	0.45
BER-002	24.00	35.00	11.00	190	14.17	1.54	0.24
BER-002	52.00	79.00	27.00	54	19.30	1.44	0.41
BER-002	84.00	91.00	7.00	23	9.74	1.07	0.24
BER-017	2.00	20.00	18.00	110	12.04	1.57	0.36
BER-017	33.00	42.00	9.00	55	6.29	0.79	0.55
BER-017	50.00	60.00	10.00	167	14.49	0.77	0.74
BER-018	6.00	13.00	7.00	69	5.67	0.53	0.32
BER-018	15.00	34.00	19.00	139	13.54	1.52	0.29
BER-018	43.00	69.00	26.00	107	14.84	1.01	0.42
BER-019	0.00	10.00	10.00	105	12.45	1.03	0.43
BER-019	22.00	69.00	47.00	155	16.29	2.15	0.31
BER-021	25.00	37.00	12.00	148	11.49	2.00	0.75
BER-022	24.00	47.00	23.00	341	13.14	0.55	0.86
BER-022	52.00	63.00	11.00	121	9.57	1.92	0.46
BER-022	65.00	80.00	15.00	54	10.49	0.87	0.36
BER-109	1.00	48.00	47	180	8.11	1.10	0.27
BER-110	0.00	7.00	7.00	70	6.05	0.46	0.48

*Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.*


*The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.*

Section 1900E  
(North)

2021/2  
INTERCEPTS



Section 1950E



AFD holes are 2021/2 diamond drilling – voids not shown.  
BER holes are 2004/5 RC drilling.



## Section 1950 E Historic Drill Results

Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2005	BER-187	37	46	9	37	8.45	0.89	0.61
2005	and	64	74	10	165	0.79	1.50	0.07
2005	BER-188	12	19	7	26	4.02	0.61	0.35
2005	and	30	83	53	90	6.26	1.10	0.59
2005	and	91	130	39	113	4.80	0.92	0.52
2005	BER-190	0	9	9	150	18.62	1.01	1.17
2005	and	12	21	9	69	15.57	0.69	1.04
2005	and	27	39	12	69	14.53	1.32	1.27
2005	and	43	69	26	84	7.29	0.99	0.62
2005	BER-191	1	16	15	58	4.10	0.81	0.29
2005	and	20	26	6	52	4.46	0.53	0.47
2005	and	28	33	5	66	3.77	0.39	0.43
2005	and	38	113	75	86	6.46	0.97	0.57
2005	BER-192	2	90	88	49	3.27	0.83	0.29
2005	and	109	117	8	45	3.91	1.10	0.38



*Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geol, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.*

*The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.*

Section 2000E

SOUTH

NORTH



AFD holes are 2021/2 diamond drilling – voids not shown.  
BER holes are 2004/5/17 RC drilling.





## Section 2000 E Historic Drill Results

Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2005	BER-185	11	17	6	164	3.31	1.08	0.43
2005	and	24	58	34	176	6.90	0.89	0.59
2005	and	61	70	9	54	2.99	0.82	0.30
2005	BER-186	3	23	20	151	4.62	1.23	0.55
2005	BER-193	1	41	40	170	6.03	1.01	0.60
2005	BER-194	0	30	30	74	4.99	1.18	0.51
2017	BER253-17	0	7	7	92	15.92	1.38	1.17
2017	and	9	21	12	85	6.58	1.22	0.49
2017	and	24	30	6	84	6.34	0.70	0.61
2017	and	35	40	5	69	3.69	1.11	0.34
2017	and	83	88	5	54	4.11	0.48	0.30
2017	BER254-17	0	34	34	93	9.12	1.08	0.68
2017	and	62	89	27	145	4.72	0.64	0.33
2017	and	91	103	12	47	2.23	0.49	0.18

*Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.*

*The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.*

Section 2200E



AFD holes are 2021/2 diamond drilling – voids not shown.  
BER holes are 2004/5 RC drilling.  
BED-006 is 2015 diamond drilling





# Section 2200 E Historic Drill Results

Year	Hole ID	From (m)	To (m)	Intersection length (m)	Ag (g/t)	Mn (%)	Cu (%)	Zn (%)
2005	BER-219	0	62	62	79	4.18	1.26	0.43
2005	and	66	95	29	214	12.87	1.60	0.36
2005	BER-220	0	9	9	226	4.90	1.10	0.55
2005	and	31	39	8	80	4.42	0.48	0.54
2005	and	44	51	7	100	0.93	0.38	0.07
2005	and	54	61	7	88	7.59	0.42	0.59
2005	and	91	103	12	26	6.72	0.40	0.58
2005	BER-221	0	6	6	84	2.54	0.58	0.29
2005	and	22	31	9	159	2.58	0.78	0.27
2005	and	38	83	45	283	4.36	0.54	0.49
2005	and	104	111	7	207	2.55	0.61	0.31
2015	BED-006	28.2	151.5	123.3	79	11.09	1.17	0.35
2015	and	174.5	197.1	22.6	70	9.19	1.21	0.32
2015	and	205.8	212	6.2	139	2.52	0.29	0.16
2015	and	214.5	238.5	24	247	4.53	0.74	0.43

*Historical drill intercepts shown on the sections in this presentation for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled “Berenguela Silver-Copper-Manganese Property Update” filed on SEDAR on February 25, 2021, authored by independent QP’s J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.*

*The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although Aftermath believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.*